



Marine Products

European Edition



CENNIK RADIOSTACJI NA PASMO MORSKIE

(01.09.2022 Rev 2.0)



RADIOSTACJE RĘCZNE

Picture	Model	Cena netto	Descriptions
	IC-M94DE	369.65 €	Marine Handheld Radio, AIS+GPS receiver; DSC, INT/ATIS
	<i>Standard Supply</i>		Battery pack BP-306, Battery charger BC-251, AC adapter BC-123SE, Belt clip MB-133, Antenna FA-SC59V, Hand strap
	IC-M73EURO PLUS	335.29 €	Marine Handheld Radio, INT, ATIS, IPX8, 6W, Active Noise Canceller, Last Call Voice Recording
	IC-M73EURO	301.68 €	Marine Handheld Radio, INT, ATIS, IPX8, 6W
	<i>Standard Supply</i>		BP-245H(Li-Ion Battery, 2200mAh(typ.)), BC-210(Rapid Charger), BC-123SE(Charger Adapter), MB-103(Belt-Clip), FA-S64V(Antenna), Handstrap
	IC-M37E	197.52 €	Marine Handheld Radio, INT, ATIS, Clear Voice Feature+Voice Boost, Floats in the water, IP57, 6W, 700mW Audio Output
	<i>Standard Supply</i>		BP-296(Li-Ion 2350 mAh(typ.)), BC-235(Charger), BC-217SE(Charger Adapter), MB-133(Belt-Clip), FA-SC59V(Antenna), Handstrap
	IC-M25EURO - Metallic Gray - Marine Blue	176.24 €	Marine Handheld Radio, INT, ATIS, Float'n Flash, IPX7, 5W, 2 Colors Available
	<i>Standard Supply</i>		BP-282(Li-Ion Battery 1500mAh(min)), BC-217SE(USB Charger Cable), MB-133(Belt Clip), FA-SC59V(Antenna), Handstrap
	IC-M85E	359.47 €	Marine and PMR hybrid handheld radio for professional use on water and land, INT, ATIS, IP67, 5W, 100 programmable PMR channels, Built-in Voice Scrambler, Man Down, Lone Worker, Aqua Quake
	<i>Standard Supply</i>		BP-290(Li-Ion Battery), BC-227(Rapid charger), BC-123SE(AC adapter), MBB-3(Belt clip) FA-SC58V(Antenna), Handstrap

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
Akumulatory i pojemniki								
	BP-245H #15	72.96 €	7,2V/2100mAh (min.) 2200mAh (typ.) Li-Ion Battery		✓			
	BP-296	36.93 €	3.6 V / 2350 mAh (typ.), 2200 mAh (min.).			✓		
	BP-297	25.86 €	AAA (LR03)×3 alkaline cells, Output power : 1 W			✓		
NO PHOTO	BP-282N	35.12 €	Battery Pack (Li-Ion) 3,6V/1485mAh (min.) 1570mAh (typ.) (Integrated Battery in M25EURO)				✓	
	BP-306	66.47 €	Li-Ion battery, 7,2 V / 2280 mAh (min.) 2400 mAh (typ.)	✓				
	BP-290	83.22 €	Lithium ion battery, 7.2 V/1910 mAh (min.) 2010 mAh (typ.)					✓
	BP-291	42.04 €	Battery case for LR6 (AA)×5 cells					✓

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
Ładowarki								
	BC-210	32.42 €	Rapid Desktop Charger for BP-245 (AC Adapter BC-123SE is separately required)		✓			
	BC-251	39.33 €	Rapid Desktop Charger for BP-306 (AC Adapter BC-123SE is separately required)	✓				
	BC-235	18.44 €	Desktop charger w/o BC-217SE / Has to be ordered separately			✓		
	BC-217SE	15.19 €	USB-(Micro-B) Charger Adapter 230V for BP-282, takes 3,0 hours for full charge			✓	✓	
	BC-219N #28	47.74 €	Rapid charger for BP-290					✓
	BC-225	89.39 €	Intelligent rapid charger for BP-290, incl. AC Adapter BC-123SE					✓
NO PHOTO	RS-BC225	NOT FIXED	Reader Software for Intelligent charger BC-225					✓
	BC-226	66.06 €	Rapid charger able to connect up to six BC-226 units, used for for BP-290, BC-228 is required					✓
	BC-228	57.05 €	AC adapter for BC-226					✓
	BC-227	46.24 €	Rapid charger for BP-290, incl. AC Adapter BC-123SE					✓

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
	BC-197 #33	338.11 €	Multi Chagerr (incl. AC Adapter BC-157S and Charger Cradle AD-129 x 6 pcs) for BP-245H x up to 6 pcs		✓			
	BC-214 #23	315.26 €	Multi Charger (incl. AC Adapter BC-157S and Charger Cradle AD-132N x 6 pcs) for BP-290 up to 6 pcs					✓
NO PHOTO	AD-129	13.90 €	Charger Cradle for BC-197 used for BP-245H		✓			
NO PHOTO	AD-132N	14.55 €	Charger Cradle for BC-214 used for BP-290					✓
	BC-123SE	17.79 €	AC Adapter for BC-220, BC-210, BC-119N, BC-162, BC-219N, BC-225, BC-227, BC-251	✓	✓			✓
	BC-157S	113.49 €	AC Adapter for BC-197, BC-214		✓			✓
	CP-23L	21.66 €	12V Cigaret Lighter Cable for BC-162, BC-173, BC-219N and BC-227					✓
	CP-25H	16.17 €	12V Cigaret Lighter Cable for BC-220 and BC-210	✓	✓			
	OPC-515L	12.61 €	DC Power Cable (12V-16V) for BC-210, BC-219N, BC-225 and BC-227		✓			✓
	OPC-656	8.73 €	DC Power Cable (12V-16V) for BC-214 and BC-197		✓			✓

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
SPEAKER MICROPHONE / HEADSETS								
	HM-165	80.77 €	Speaker Microphone, IPX7	✓				
	HM-167	84.35 €	Speaker Microphone, IPX8		✓			
	HM-202	83.77 €	Small Speaker Microphone, IPX7		✓			
	HM-213	81.97 €	Speaker Microphone, IP57			✓	✓	
	HM-222	127.50 €	Speaker Microphone					✓
	HM-236	85.19 €	Speaker Microphone					✓
	HM-228	81.97 €	Compact waterproofed speaker microphone, IPX7	✓				
	HM-163MC	163.93 €	Tie-clip microphone					✓

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
	HS-94	23.28 €	Earhook type with boom microphone Requires VS-5MC					✓
	HS-95	152.72 €	Behind-the-head type headset Requires VS-5MC					✓
	HS-97	32.42 €	Throat microphone type headset Requires VS-5MC					✓
	VS-5MC	120.78 €	PTT Witch cable for Manual PTT/VOX operation					✓
	EH-15B	30.07 €	Earphone used with HM-163MC					✓
	SP-26	22.95 €	Tube earphone used with HM-163MC					✓
	SP-27	25.22 €	Tube earphone used with HM-222 or AD-135					✓
	SP-28	22.31 €	Earphone used with HM-163MC					✓
	SP-29	22.31 €	Earphone, used with HM-222 or AD-135					✓
	SP-32	30.63 €	Tube earphone adapter, used with EH-15B					✓

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
	SP-40	26.51 €	Earphone, used with HM-222 or AD-135					✓
	AD-118	56.74 €	ACC Adapter, 6-pin Hirose plug adapter					✓
	AD-135	36.33 €	ACC Adapter, 3.5mm jack earphone adapter					✓
Anteny								
NO PHOTO	FA-S59V	10.34 €	Antenna		✓			
NO PHOTO	FA-S64V	10.03 €	Antenna		✓			
NO PHOTO	FA-SC58V	10.03 €	Antenna					✓
NO PHOTO	FA-SC59V	10.99 €	Antenna	✓			✓	
Uchwyt na pasek								
	MB-86	10.34 €	Belt clip (Swivel type)		✓			✓
	MB-96F	23.28 €	Belt hanger (Fixed type)	✓	✓			✓
	MB-96FL	29.75 €	Belt hanger (Long type)	✓	✓			✓
	MB-96N	26.84 €	Belt hanger (Swivel type)		✓			✓
	MB-103	10.34 €	Belt Clip (Alligator type)		✓			

Akcesoria				IC-M94DE	IC-M73EURO/PLUS	IC-M37E	IC-M25EURO	IC-M85E
Picture	Model	Cena netto	Description					
	MB-133	9.70 €	Belt Clip (Alligator type)	✓		✓	✓	
	MB-136	8.74 €	Belt clip (Swivel type)					✓
	MBB-3	9.22 €	Belt Clip (Alligator type)					✓
Pokrowce								
	LC-187	37.53 €	Radio case, charging is also possible with radio					✓
	LC-188	41.43 €	Radio case					✓
	LC-M73	46.84 €	Radio Leather Case (3rd Party Product)		✓			
Programatory								
NO PHOTO	CS-M25	60.05 €	Programming software for IC-M25EURO (OPC-478UC & OPC-1655 are required separately)				✓	
NO PHOTO	CS-M37	60.05 €	Programming software for IC-M37E (OPC-478UC & OPC-1655 are required separately)			✓		
NO PHOTO	CS-M73	60.05 €	Programming software for IC-M73EURO (OPC-478UC & OPC-922 are required separately)		✓			
NO PHOTO	CS-M85	60.05 €	Programming software for IC-M73EURO (OPC-2338 is required separately)					✓
NO PHOTO	OPC-922	50.44 €	Programming Cable		✓			
NO PHOTO	OPC-1655	40.53 €	Programming Cable	✓		✓	✓	
	OPC-478UC	44.13 €	Programming Cable	✓	✓	✓	✓	
NO PHOTO	OPC-2338	83.85 €	Programming Cable					✓

Radiostacje ręczne ATEX			
Picture	Model	Cennik netto	Descriptions
	IC-M87 ATEX	462.95 €	Marine Radio, INT, ATIS, 22 Programmable PMR Channels, IPX7
	ATEX Specification	94/9/EC ATEX Directive / Level II2G Ex ib IIA T3	
	Standard Supply	BP-227AX(Li-Ion Battery 1950mAh(typ)), BC-152N(Regular Charger), BC-147SE(Charger Adapter), MB-86(Belt Clip), FA-S59V(Antenna), Handstrap	
Akcesoria			
Picture	Model	Cena netto	Description
Akumulator			
	BP-227AX	157.49 €	7.4V,1850mAh(min) /1950mAh (typ) Li-Ion Battery Pack(ATEX)
Ładowarki			
	BC-119N	63.35 €	Rapid Desktop Charger (Incl. BC-145SE) / Suitable Charger Cradle (AD-Series) is required
	BC-152N	32.42 €	Normal Desktop Charger (BC-147SE is required)
	BC-121N	256.41 €	Rapid Multi Charger for 6 Batteries(BC-157S and AD-100 are required)
	AD-100	25.87 €	Charger Cradle for BC-119N(1 pc is needed) and BC-121N(6 pcs are needed)
	BC-147SE #59	18.10 €	Charger Adapter for BC-152N, BC-173, BC-204, BC-119N, BC-162,BC-190
	BC-157S	113.49 €	Charger Adapter for BC-197
Mikrofonogłośnik			
	HM-138	110.97 €	Speaker Microphone, IPX7, ATEX Proved
Antena			
NO PHOTO	FA-S59V	10.34 €	Antenna (150-174MHz)
Uchwyt na pasek			
	MB-86	10.34 €	Turnable Belt Clip
	MB-96F	23.28 €	Leather Belt Clip for MB-109
	MB-98	9.38 €	Belt Clip
Programator i program			
NO PHOTO	CS-M87/M88	60.05 €	Programming Software for IC-M87/ATEX (OPC-966U is required)
NO PHOTO	OPC-966U	130.02 €	Programming Cable

RADIOSTACJE STACJONARNE NA PASMO MORSKIE

Picture	Model	Cena netto	Descriptions
	IC-M605EURO	1,036.73 €	VHF Fixed Mount Marine Radio with integrated GNSS and AIS Receiver DSC D Class, ATIS, GNSS Receiver(GPS, GLONASS, SBAS), AIS Receiver, Active Noise Canceller, IPX8
	<i>Standard Supply</i>		HM-205RB(Handmicrophone), UX-241(GNSS Antenna), Mounting Bracket, Power Supply Cable, Microphone Hanger
	IC-M400BBE	435.53 €	VHF fixed mount Black Box Transceiver DSC D Class, IPX7, Built-in GNSS Receiver
	<i>Standard Supply</i>		HM-195B, DC power cable, GNSS antenna, OPC-1540 (6.1 m) between HM-195B/SW and IC-M400BBE, Mounting base for cable connector, Microphone hanger
	IC-M510E w/AIS	704.55 €	HF Marine Transceiver (Class D DSC) with GPS, NMEA0183, WLAN, with integrated AIS receiver
	<i>Standard Supply</i>		Speaker microphone (HM-205RB), Microphone hanger, DC power cable, Mounting bracket kit
	IC-M510E no-AIS	616.76 €	HF Marine Transceiver (Class D DSC) with GPS, NMEA0183, WLAN, without integrated AIS receiver
	<i>Standard Supply</i>		Speaker microphone (HM-205RB), Microphone hanger, DC power cable, Mounting bracket kit
	IC-M423GE	348.44 €	VHF Fixed mount Marine Transceiver Active Noise Cancelling, Built-in GPS, IPX7
	<i>Standard Supply</i>		Hand microphone, HM-205B/SW, DC power cable, Mounting bracket kit
	IC-M330GE	251.08 €	VHF Fixed Mount Marine Radio, Small body DSC Class D, AITS, Full dot matrix display, IPX7, Integrated GPS Receiver
	<i>Standard Supply</i>		DC power cable, Mounting bracket, Microphone hanger, GPS antenna
	MA-510TR	870.98 €	Class B AIS Transponder internal GPS with supplied external antenna NMEA2000, NMEA0183 and USB (Type-B Mini) Compatible with IC-M605EURO, IC-M506GE, IC-M423GE, IC-M330GE
	<i>Standard Supply</i>		GPS antenna, DC power cable, Mounting bracket kit, Accessory connector
	M804	NOT FIXED	MF/HF Marine Transceiver Class E DSC; GPS; (#11 = 24V or #12 = 12V) DC input; CE/RED
	<i>Standard Supply</i>		Hand microphone, DC power cable, GNSS antenna, Remote controller and control cable, Mounting plates for the main unit, Mounting bracket kit for the remote controller

Akcesoria				MA-510TR	IC-M330GE	IC-M510E	IC-M400BBE	IC-M605EURO
Picture	Model	Ceny netto	Description					
Mikrofony i akcesoria								
	HM-195GB	194.04 €	COMMANDMIC for controlling a radio remotely. IPX7, Intercom-Function, Distress <u>Standard Supply</u> Connection Cable(OPC-1540/ 6.1m), Microphone Hanger, Mounting Base for Cable Connector			✓	✓	
	HM-229B	194.04 €	COMMANDMIC for controlling a radio remotely. IPX8, Intercom-Function, (No Distress). Up to three HM-229B or RC-M600 can be connected. Optional connection cable OPC-2384 is required. <u>Standard Supply</u> Connection Cable(OPC-1540/ 6.1m), Microphone Hanger, Mounting Base for Cable Connector	✓		✓		
	HM-235B	38.43 €	Hand microphone					✓
	OPC-1000	47.15 €	Extension cable for use with rear microphone connection IC-M605EURO ... for use with HM-205RB IC-M506GE ... for use with rea mic version	✓		✓		
	OPC-1541	47.13 €	Extension Cable (6.1m) for remote controlling microphone. Up to two OPC-1541 can be connected for extension. Used with HM-205RB(M605EURO only), HM-229B, HM-195B, HM-195GB	✓	✓	✓		
	OPC-2383	76.26 €	Connection Cable(10m) to connect with RC-M600 with IC-M605EURO. (Standard Supply of RC-M600)	✓				
	OPC-2384	38.14 €	Connection Cable 12 pin to 8 pin to use with HM-229B. This cable is required to connect the HM-229B with IC-M605EURO.	✓				
	RC-M600	544.77 €	Remote Control Unit: Up to three RC-M600 or HM-229B can be connected with M605EURO. IPX8, Intercom, Distress <u>Standard Supply:</u> HM-205RB, Connection cable OPC-2383(10m), Power supply cable, mounting bracket, mic-hanger	✓				
	OPC-2377	76.26 €	Extension Cable (10m) for RC-M600. Up to 4 extension cable with basic cable OPC-2383 able to be connected	✓				

Akcesoria				IC-M605EURO	IC-M400BBE	IC-M510E	IC-M330GE	MA-510TR
Picture	Model	Ceny netto	Description					
Mikrofony								
	HM-205B	50.14 €	Standard Supply (Repair purpose)					
	HM-205RB	64.25 €	Standard Supply (Repair purpose)	✓				
Uchwyty								
	MB-75	29.42 €	Flush mount kit	✓				✓
	MB-132	25.87 €	Flush mount kit					✓
NO PHOTO	MBF-5	25.86 €	Flush mount kit				✓	
	MBF-7	35.46 €	Flush mount kit				✓	
Inne								
	SP-37	78.96 €	Horn Speaker 30W (Max.40W), 4 Ohm	✓		✓	✓	
	UT-112	102.85 €	Voice Scrambler unit 32 codes of scrambler codes are available	✓				
	CT-M500	186.18 €	Wireless Interface Box for NMEA2000 interfacce + hailer/PA function			✓		
	MBZ-1	17.86 €	Fron Panel Cover			✓		
	UX-241	40.83 €	GPS Antenna	✓		✓		

Akcesoria				IC-M605EUR	IC-M400BBE	IC-M510E	IC-M330GE	MA-510TR
Picture	Model	Ceny netto	Description					
Programming Software & Cable								
NO PHOTO	CS-M605	60.05 €	Programming Software for IC-M605EURO Requires OPC-478UC and OPC-2382	✓				
NO PHOTO	CS-M506	60.05 €	Programming Software for IC-M506GE Requires OPC-478UC and OPC-980					
NO PHOTO	CS-M424	60.05 €	Programming Software for IC-M423G Requires OPC-478UC and OPC-980					
NO PHOTO	CS-M400BB	60.05 €	Programming Software for IC-M400BB Requires OPC-478UC and cable adapter board supplied with CS-M400BB		✓			
NO PHOTO	CS-M330	60.05 €	Programming Software for IC-M330 Requires OPC-478UC and cable adapter board supplied with CS-M330				✓	
NO PHOTO	CS-MA510TR	60.05 €	Programming Software for MA-500TR use with USB cable "A - mini B type"					✓
NO PHOTO	RS-M500	Free download iOS/Android	Remote Control Software			✓		
NO PHOTO	OPC-478UC	44.13 €	Programming Cable, USB Connection	✓	✓		✓	✓
NO PHOTO	OPC-980	27.49 €	Programming Adapter Cable, required as well as OPC-478UC					
NO PHOTO	OPC-2382	22.64 €	Programming adapter cable to use with OPC-478UC	✓				

All the specifications and prices are subject to be changed without notice.

Radiostacja ręczna (GMDSS)			
Picture	Model	Ceny netto	Descriptions
	IC-GM1600E	413.99 €	GMDSS Marine Handheld Radio (Wheel Mark Requirement MED 96/98/EC for GMDSS Radio for Survivor Craft(Li-Ion Battery BP-234 is required))
	Standard Supply		BP-252(Li-Ion Battery 980mAh), BC-173(Regular Charger), BC-147SE(Charger Adapter), MB-103Y(Belt Clip), FA-S61V(Antenna), Handstrap
Akcesoria			
Category	Model	Ceny netto	Description
Akumulatory			
	BP-234	184.67 €	9.0V, 3300mAh(min.) / 1950mAh (typ.) Lithium Battery (Unchargable) (Needed for Wheelmark Requirement MED 96/98/EC Regulation)
	BP-252	54.04 €	7.4V, 950mAh(min.) / 980mAh (typ.) Li-Ion Battery Pack On-board use only
Ładowarki			
	BC-173	19.40 €	Normal Desktop Charger (BC-147SE is required) for BP-252 On-board use only
	BC-147SE #59	18.10 €	Charger Adapter for BC-152N, BC-173, BC-204, BC-119N, BC-162,BC-190
Antena			
NO PHOTO	FA-S61V	10.03 €	Antenna(Yellow) (Spare Parts, Order Number. 3310003330)
BELT CLIP			
NO PHOTO	MB-103Y	10.34 €	Belt Clip(Yellow)
Programatory			
NO PHOTO	CS-GM1600	60.05 €	Programming Software for IC-GM1600E (OPC-478UC & OPC-922 are required)
NO PHOTO	OPC-922	50.44 €	Programming Cable
NO PHOTO	OPC-478UC	44.13 €	Programming Cable

Radiostacja (GMDSS)

Picture	Model	Ceny netto	Descriptions
	GM800	5,373.53 €	GMDSS MF/HF Transceiver Class A DSC Meets MF/VHF GMDSS requirements for SOLAS ships 125W(PEP), Built-in 24V DC-DC Converter IPX7 (Only controler unit)
	<i>Standard Supply</i>		HS-98 #17, DC power cable, Remote control cable, mounting bracket, others

Akcesoria

Picture	Model	Ceny netto	Description
---------	-------	------------	-------------

Skrzynka antenowa

	AT-141 #45	510.41 €	Automatic Antenna Tuner 45 frequency memories for shorter tuning time. <i>This AT-141 MUST BE USED with GM800 for the MED certification compliance. This cable also needs OPC-1465 separately</i>
	OPC-1465	63.65 €	Shielded control cable 10 m; 32.8 ft cable. <i>AT-141 requires this cable to use</i>

Uchwyt

	MB-108	402.48 €	Mounting Bracket (Photo shows installation example with main unit of GM800)
---	---------------	-----------------	--

Mikrofonogłośniki

	HS-98 #17	196.44 €	Handset (Same as supplied) Comes in handy for listening privacy on board.
	HM-214H	72.65 €	Hand Microphone IPX7 waterproof

Głośnik

	SP-24E #18	52.85 €	External Speaker Input impedance: 4 Ω. Maximum input power: 7 W.
---	-------------------	----------------	--

Programator i program

<i>NO PHOTO</i>	CS-GM800	60.05 €	Programming Software
<i>NO PHOTO</i>	OPC-478UC	44.13 €	Programming cable

Radiostacja (GMDSS)

Picture	Model	Ceny netto	Descriptions
	GM600	1,237.89 €	GMDSS VHF Transceiver Class A DSC Meets VHF GMDSS requirements for SOLAS ships <i>PS-310 is required separately</i>
	<i>Standard Supply</i>		Handmicrophone HM-214V, Mounting kit, DC power cable

Akcesoria

Picture	Model	Ceny netto	Description
---------	-------	------------	-------------

HANDMICROPHONE / HANDSET

	HM-214V	72.65 €	Handmicrophone, Same as supplied
	HS-98 #16	196.44 €	Handset This HS-98 #16 is different from the HS-98 #17 which is for GM800

Zasilacze

	PS-310 #01	220.96 €	DC-DC Converter, 24V input
	PS-310 #02	220.96 €	DC-DC Converter, 12V input

Uchwyt

	MB-75	29.42 €	Flush mount kit
---	--------------	----------------	-----------------

Programatory i program

<i>NO PHOTO</i>	CS-GM600	60.05 €	Programming software supplied by CD. OPC-478UC and OPC-980 are required.
<i>NO PHOTO</i>	OPC-478UC	44.13 €	Programming cable
<i>NO PHOTO</i>	OPC-980	27.49 €	Programming cable

MARINE RADAR

Picture	Model	Ceny netto	Descriptions
 	MR-1010R2	3,056.42 €	Marine Radar incl. Radome Scanner Unit -Simplified ARPA (Automatic Radar Plotting Aids) -Wide Viewing Angle Color TFT LCD (10.4-inch, 480 × 640 dots) -36 NM Range Observation with 4 kW Output Radome Scanner -DSC (Digital Selective Calling) Information Function -AIS (Automatic Identification System) Overlay Function -IPX6 (Scanner unit), IPX4 (Display unit)
	<i>Standard Supply</i>		Scanner unit, System cable (15 m)

Akcesoria

Category	Model	List Price (excl.VAT)	Description
SYSTEM CABLES			
	OPC-2340	212.70 €	System Cable (30m) / 7-Pin
INTERNAL UNITS			
	UX-252	193.36 €	External display connection unit 640x480 analog RGB output